

XAV-V631BT

15.7cm (6.2") Media Receiver with Bluetooth®

Enjoy the freedom of the road with the navigation ready XAV-V631BT digital media receiver. Stream music via Bluetooth & utilize voice control capabilities. ¹



- Connect your smartphone instantly with Bluetooth^{® 1} and one-touch NFC
- Get powerful sound with the 4 x 55W Dynamic Reality Amp²
- TomTom navigation ready
- Voice control with SongPal 3 and Siri Eyes Free²
- EXTRABASS adds low end power

Bluetooth® connection

Stream music from your smartphone and make hands-free calls. 1

Immersive audio

Music sounds clear and natural at any volume with 4 x 55W amplification and EXTRABASS.

Navigation ready

Turn your receiver into a touch screen navigation system by connecting our optional plug-in module kit.4

Stream music in seconds

Tap the back of your NFC-enabled phone to the receiver's volume knob for a One-touch wireless connection. Alternatively, use your mobile's settings to quickly create a Bluetooth link.

Voice control with SongPal

A handy voice-controlled app, SongPal manages media playback and can even read your emails or help with navigation. 3

Voice control with Siri

Want to control your iOS mobile or tablet without taking your attention off the road? Siri Eyes Free manages music playback, helps with navigation, reads out your messages and more. ²

USB and AUX inputs

No Bluetooth? No problem. Just plug your mobile, memory device or MP3 player into the USB socket to access all your songs. Alternatively, use a cable to connect your music player's headphone-out socket to the receiver's AUX input.

4 x 55W output for clear sound whatever the volume

Advanced amplification from the 4 x 55W Dynamic Reality Amp 2 minimizes interference, so music sounds clear and detailed.

EXTRABASS and EQ5 Advanced

With two different boost modes, EXTRABASS adds deep low frequencies to your tracks. Plus, EQ5 Advanced lets you adjust frequency as you like.

3 Pre-out means more speaker options

Want to build a full in-car audio system? Connect additional amplifiers for your speakers and sub-woofers for even greater volume and dynamics.

Smart touch screen

Control everything easily with large touch-screen buttons. Customize the interface to match your car interior by choosing from five color schemes.

Rear camera ready

Got a rear camera installed? Whenever you put your car into reverse or tap the camera icon button, you'll see the video feed clearly on screen. Use the movable guide lines on screen to back in easily.

SONY

Specifications

AV in Feature		Signal strength	Yes	
Level Adjustment	Yes	indication		
BT Spec.		speed dial	Yes (6 memories)	
EDR	Yes	TEL out channel Voice Dial	Front	
Version	Bluetooth Version 3.0	Activation	Yes	
Bluetooth Audio Feature Display Panel(MDP and AVC)				
Audio Codec	SBC	Dimmer Adjust	Yes	
Audio Level Adjustment	Yes (-8dB to +18dB)	Dimmer Area	Display Monitor Only	
CUE/REV	Yes	Monitor off mode	Yes	
Group (Folder) +/-	Yes	Monitor(AVC)		
Meta Data	Voc	Brightness	400 cd/m2	
Indication	Yes	Color System	NTSC/PAL/SECAM/PAL-M	
Pandora Link (BT)	Yes	Color System Auto switch	Yes	
Pandora Link (USB)	Yes	Contrast Ratio	500	
Pause	Yes	Dimmer	Yes	
Repeat Control (Audio Device	Yes	Dimmer Method	Auto/Manual select	
side)		LCD Type	TFT Active Matrix	
Shuffle Control (Audio Device	Yes	Resolution (DOT)	800 x 480	
side)		Response Time		
TRACK +/-	Yes	(black-white/ white-black)	20/20ms	
Bluetooth Feature		Screen Aspect	17:09	
# of records connected	5 (HFP+Audio)	Screen Diagonal (inch/mm)	6.2 inch	
Alphabetical Phonebook Sorting (PBAP)	Yes	Screen Size (WxH mm)	137.40 x 77.28	
Auto Answer	Yes (off/on)	Viewing Angle (Contrast Ratio	75/75/60/70(L/R/U/D)	
Battery remainder	Yes	10:1)		
indication	1 · ·	Multi Language		
call volume level control	Yes	Caution	English / Spanish / French	
connection status	(1HFP/PBAP+1Audio)	ID3 Tag	ISO8859-1	
(maximum #)	(INFF/FDAF+TAUGIO)	Menu	English / Spanish / French	
DTMF	Yes	Menu/Caution Initial	En	
Echo canceller	Yes	General Feature		
External microphone	Supplied	ATT	Yes	
Internal ringtone	1 (Sony Ericsson PCM)	Aux-In	Yes (Rear)	
Last dialed call	Yes (select from the dialed call history)	Balance	Yes	
MIC GAIN Adjustment	Low/Mid/High	BT Extension	Yes	
Noise canceller	Yes	Connector	Yes	
Phonebook Access via PBAP	Yes	EXTRA BASS	Yes (Off/1/2)	
Phonebook code	UTF8	Fader	Yes	
recent calls (#of)	Yes (20 numbers)	Graphical EQ5(5- band EQ)	Yes	
RF ON/OFF	Yes	High Pass Filter	Yes	
ring alert select	Auto	Low Pass Filter	Yes	
ring volume level	Yes	METRA Ready	Yes	
control				

SONY

Navigation	Ready	3rd Party	Yes
One-touch	Yes	Navigation	
connection (NFC) Output Power	55W	Instruction Manuc	
Pre Out	3Pre 2V	English	Yes
Rear Out	Yes	French	Yes Yes
Rear View	165	Spanish Standard	res
Camera in	Yes	Safety Standard Canada IC	Yes
Selectable Background Color	Yes (5 Color)	FCC	Yes
Siri Eyes Free Mode	Yes (for iOS)	Profile	
SongPal	Yes (for Android)	A2DP	Yes (1.2)
Sub Out	Yes	AVRCP	Yes (1.4)
Tag Indication	Yes	HFP	Yes (1.6)
USB	Yes	OPP	Yes (1.1)
Zappin	Yes (only for tuner preset)	PBAP	Yes (1.1)
Specifications cha	art / General	SPP	Yes
CEA2006 output		Tuner	
power CEA2006 S/N	20 80	FM: Tuning range(MHz)	87.5-107.9
Other features		FM (Tuning	
Device Name	XAV-V631BT	range(MHz)/	Ve .
SMS Indication	by SongPal	step(kHz)/de- emphasis(mus))	Yes
	Yes (more than 1A)	87.5-107.9/200/75	
Power Supply User Interface	res (more main 17)	MW: Tuning range(kHz)	530-1710
Aspect Ratio		MW(Tuning	
Select	Yes	range(kHz)/ step(kHz)) 530-	Yes
Веер	Speaker	1710/10	
Clock	12H 	General	
Demo Mode	Yes	Accessibility	Yes (Closed Caption)
HOME screen	Yes	ADHOC	
List Function	Yes	(THD:5% 20Hz- 20kHz,4ohms,4ch)	23.2
Operation	Touch Panel	(W)	
Parking Control	Yes	ANT connector	JASO
Rear View			
Camera-In Marker	Yes	C/O	Yes 16P
Setting		Connector type	Yes 16P
Setting Source List	Yes	Connector type Maximum output power (40hms,	
Setting Source List TOP screen	Yes Yes	Connector type Maximum output power (40hms, 1kHz, 16V)(W)	16P 55
Setting Source List TOP screen Touch Panel	Yes Yes Yes	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL	16P 55 Yes
Setting Source List TOP screen	Yes Yes Yes Yes	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL POP	16P 55 Yes Yes (iPod/USB, Bluetooth)
Setting Source List TOP screen Touch Panel Wallpaper Wallpaper custormization	Yes Yes Yes	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL POP Power Connector	16P 55 Yes Yes (iPod/USB, Bluetooth) Yes
Setting Source List TOP screen Touch Panel Wallpaper Wallpaper custormization Wallpaper Initial	Yes Yes Yes Yes Yes Solution (5 Color Change) BLUE	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL POP Power Connector Preout impedance (ohms)	16P 55 Yes Yes (iPod/USB, Bluetooth)
Setting Source List TOP screen Touch Panel Wallpaper Wallpaper custormization Wallpaper Initial Bluetooth Certific	Yes Yes Yes Yes Yes Ses (5 Color Change) BLUE Sation	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL POP Power Connector Preout impedance	16P 55 Yes Yes (iPod/USB, Bluetooth) Yes
Setting Source List TOP screen Touch Panel Wallpaper Wallpaper custormization Wallpaper Initial Bluetooth Certific	Yes Yes Yes Yes Yes Yes (5 Color Change) BLUE ation Yes	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL POP Power Connector Preout impedance (ohms) Preout output	16P 55 Yes Yes (iPod/USB, Bluetooth) Yes 220
Setting Source List TOP screen Touch Panel Wallpaper Wallpaper custormization Wallpaper Initial Bluetooth Certific Bluetooth Logo Certification Pandora Certification	Yes Yes Yes Yes Yes (5 Color Change) BLUE ation Yes	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL POP Power Connector Preout impedance (ohms) Preout output level (V) Rated output power (DIN)(W) Speaker	16P 55 Yes Yes (iPod/USB, Bluetooth) Yes 220 2
Setting Source List TOP screen Touch Panel Wallpaper Wallpaper custormization Wallpaper Initial Bluetooth Certific Bluetooth Logo Certification Pandora Certification Xvid Certification	Yes Yes Yes Yes Yes Yes (5 Color Change) BLUE ation Yes	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL POP Power Connector Preout impedance (ohms) Preout output level (V) Rated output power (DIN)(W)	16P 55 Yes Yes (iPod/USB, Bluetooth) Yes 220 2
Setting Source List TOP screen Touch Panel Wallpaper Wallpaper custormization Wallpaper Initial Bluetooth Certific Bluetooth Logo Certification Pandora Certification	Yes Yes Yes Yes Yes (5 Color Change) BLUE ation Yes	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL POP Power Connector Preout impedance (ohms) Preout output level (V) Rated output power (DIN)(W) Speaker impedance	16P 55 Yes Yes (iPod/USB, Bluetooth) Yes 220 2
Setting Source List TOP screen Touch Panel Wallpaper Wallpaper custormization Wallpaper Initial Bluetooth Certific Bluetooth Logo Certification Pandora Certification Xvid Certification	Yes Yes Yes Yes Yes (5 Color Change) BLUE ation Yes	Connector type Maximum output power (4ohms, 1kHz, 16V)(W) NTSC/PAL POP Power Connector Preout impedance (ohms) Preout output level (V) Rated output power (DIN)(W) Speaker impedance (ohms)	16P 55 Yes Yes (iPod/USB, Bluetooth) Yes 220 2

SONY

RDS / EON	Yes (only RDS)	USB Mass Strage Device Control Feature		
USB Control Feature		Audio Codec	MP3/WMC/AAC/WAV/FLAC	
CUE/REV ID3 Tag Indication	Yes	Audio Playable File Extension	.mp3/.wma/.aac/.wav/.flac	
(Version, Title/ Artist/Album)	Yes	Max Layer#/ Folder#/File#	8/256/2000	
List	Yes	MTP	Yes (Music only)	
Max Layer#/	8/256/2000	Pause	Yes	
Folder#/File#		Plug and Play	Yes	
Pause	Yes	Repeat	OFF/TRACK/FOLDER/DRIVE	
PICTURE EQ	Yes	Resume Play	Yes	
Repeat	Yes	Shuffle	OFF/FOLDER	
Repeat/Shuffle	Yes	Video Codec	Xvid/MPEG1/2/MPEG4-SP/JPEG	
Repeat Initial	All	Video Playable	and large at any Atting a	
Shuffle	Yes	File Extension	.avi/.mpg/.mp4/.jpeg	
Shuffle initial	Off	USB Specification		
USB Capability		Version	USB (full-speed)	
connection- enabled device list	WEB Support	Weights and Measurements		
		Dimensions (Approx.)	178 × 101.5 × 169 mm Mounting dimensions: 178 × 100 × 165 mm	
File System	FAT12/16/32, exFat	Weight (Approx.)	1.2 kg	
USB Mass Storage Device	Yes	Accessories	112.19	
USB Media Transfer Protocol	Yes	Supplied Accessories	Warranty card (U for 1 year) Ant connector (JASO)	

- 1. Interoperability and compatibility among Bluetooth® devices vary.
- 2. Siri is available on iPhone 4s or later, iPad Pro, iPad Air or later, iPad (3rd generation) or later, iPad mini or later, and iPad touch (5th generation or later) and requires internet access. Siri may not be available in all languages or in all areas, and features may vary by area. Cellular data charges may apply.
- 3. Requires download of SongPal app for iPhone from the App Store or for Android from Google Play. User must link compatible devices in order to control operation. Subject to app terms and conditions.
- 4. The XAV-V631BT is compatible with the XA-NV400 plug-in module kit

©2017 Sony Electronics, Inc. All rights reserved. Reproduction in whole or in part without written permission is prohibited. Sony, EXTRA BASS and the Sony logo are registered trademarks of Sony Corporation. Bluetooth and the Bluetooth logo are trademarks of Bluetooth SIG, Inc. All other trademarks are trademarks of their respective owners. Features and specifications are subject to change without notice. Updated: February 13, 2017